

according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Versacolor

#### Further trade names / Item numbers

Canary (11), Marigold (12), Orange (13), Scarlet (14). Magenta (15), Peony (16), Violet (17), Royal Blue (18),

Cyan (19), Turquoise (20), Green (21), Fresh Green (22), Rose Red (23), Opera Pink (24), Cardinal (25),

Boysenberry (26), Indigo (27), Pacific (28), Evergreen (29), Pink (33), Orchid (34), Lilac (35), Heliotrope (36),

Lavender (37), Sky Blue (38), Mint (40), Lime (42), Topaz (52), Cocoa (53), Brown (54), Umber (55), Cinnamon (56),

Old Rose (57), Smoke Blue (58), Celadon (60), Olive (61), Split Pea (63), Khahi (64), Burgundy (66), Atlantic (68),

Bamboo (69), White (80), Sky Gray (81), Black (82), Chateau Gray (83), Camellia (101), Imperial Blue (103),

Lagoon Blue (104), Tropical Green (105), Narcissus (131), Seashell (133), Petal Pink (134), Hyacinth (135),

Baby Blue (136), Seafoam (138), Sand Beige (151), Ash Rose (152), Bark (154), Paprika (155), Raspberry (156),

Amethyst (157), Lapislazuli (158), Mountain Lake (159), Winter Green (160), Green Tea (161), Pinecone (171),

Grape (172), Neptune (173), Charcoal (174), Vanilla (181), Bisque (182), Cement (183), Polar Blue (185),

Laurel Leaf (186), Sage (187)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Ink for inkpads

## Uses advised against

No information available.

## 1.3. Details of the supplier of the safety data sheet

Company name: TSUKINEKO Co., Ltd

Street: 5F Suehiro JF Bldg., 5-1-5, Sotokanda Chiyoda-ku

Place: Tokyo 101-0021, JAPAN

Telephone: +81-3-3834-1080
e-mail: info@tsukineko.co.jp
Internet: www.tsukineko.co.jp

Responsible Department: Product safety Mo-Fr (8:30-17:00 h)

### 1.4. Emergency telephone number: +81-3-3834-1080

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

# GB CLP Regulation

## Special labelling of certain mixtures



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

EUH208 Contains triethanolamine; 1,2-benzisothiazol-3(2H)-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1); 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

### 2.3. Other hazards

Results of PBT and vPvB assessment: not applicable. Endocrine disrupting properties: No information available.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Water, humectant, binder, emulsifier, colourants, additives

## **Hazardous components**

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (GB CLP	Regulation)		
13463-67-7	titanium dioxide			≤ 40%
	236-675-5		01-2119489379-17	
	Carc. 2; H351 Note V,	W, 10		
102-71-6	triethanolamine			<1%
	203-049-8		01-2119486482-31	
	Skin Irrit. 2, Eye Irrit. 2,	Skin Sens. 1, STOT S	SE 3; H315 H319 H317 H335	
2634-33-5	1,2-benzisothiazol-3(2h	H)-one		<0.05%
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit.	2, Eye Dam. 1, Skin S	Sens. 1, Aquatic Acute 1; H302 H315	
	H318 H317 H400			
55965-84-9	reaction mass of 5-chlo	oro-2-methyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-	<0.0015%
	one (3:1)			
	-	613-167-00-5		
	Acute Tox. 2, Acute To	x. 2, Acute Tox. 3, Skir	n Corr. 1C, Eye Dam. 1, Skin Sens. 1A,	
	Aquatic Acute 1, Aquat	ic Chronic 1; H330 H3	10 H301 H314 H318 H317 H400 H410	
	EUH071			
2682-20-4	2-methylisothiazol-3(2h	H)-one		<0.0015%
	220-239-6	613-326-00-9		



# **Safety Data Sheet** VersaColor

according to UK REACH Regulation

	according to Cit ItE/Io/I Itogalation	
Date: 19.11.2020	Revisi	on date: 19.07.2023
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A,	
	Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410	
	EUH071	

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-	factors and ATE	
13463-67-7	236-675-5	titanium dioxide	≤ 40%
	oral: LD50 ≥ 2000 mg/k	g	
102-71-6	203-049-8	2,2',2"-nitrilotriethanol; triethanolamine	<1%
	dermal: LD50 ≥ 2000 m	g/kg; oral: LD50 = 6400 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one	<0.05%
	dermal: LD50 ≥ 2000 m	g/kg; oral: LD50 = 490-670 mg/kg	
	Skin Sens. 1; H317: ≥ 0.0	95 - 100	
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-	<0.0015%
		methyl-2H-isothiazol-3-one (3:1)	
	inhalation: ATE = 0.5 m	g/l (vapours); inhalation: ATE = 0.05 mg/l (dusts or mists);	
	dermal: ATE = 50 mg/kg	g; oral: ATE = 100 mg/kg	
	Skin Corr. 1C; H314: ≥ 0.	6 - 100 Skin Irrit. 2; H315: ≥ 0.06 - < 0.6	
	Eye Dam. 1; H318: ≥ 0.6	- 100 Eye Irrit. 2; H319: ≥ 0.06 - < 0.6	
	Skin Sens. 1A; H317: ≥ 0	.0015 - 100	
	Aquatic Acute 1; H400: N	l=100	
	Aquatic Chronic 1; H410:	M=100	
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one	<0.0015%
	inhalation: ATE = 0.5 m	g/l (vapours); inhalation: ATE = 0.05 mg/l (dusts or mists);	
	dermal: LD50 = 242-2000	) mg/kg; oral: LD50 = 120-327.7 mg/kg	
	Skin Sens. 1A; H317: ≥ 0	.0015 - 100	
	Aquatic Acute 1; H400: N	l=10	
	Aquatic Chronic 1; H410:	M=1	

#### **Further Information**

Note V: If the substance is to be placed on the market as fibres (with diameter < 3  $\mu$ m, length > 5  $\mu$ m and aspect ratio ≤ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied. Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

*Note 10*: The classification as a "carcinogen by inhalation" applies only to mixtures in powder form containing 1% or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10 µm.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water/soap. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

In case of eye irritation consult an ophthalmologist.

#### After ingestion

Rinse mouth thoroughly with water.

### 4.2. Most important symptoms and effects, both acute and delayed

May produce an allergic reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, extinguishing powder, carbon dioxide, sand

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

This material is combustible, but will not ignite readily.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus. Co-ordinate fire-fighting measures to the fire surroundings.

# Additional information

Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# General advice

Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes and skin.

## 6.2. Environmental precautions



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

### Other information

To clean the floor and all objects contaminated by this materials, use plenty of water.

Provide adequate ventilation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

Handle and open container with care. Provide adequate ventilation.

# Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not eat or drink.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Store in a cool dry place.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

Recommended storage temperature: Room temperature

## 7.3. Specific end use(s)

Ink

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

57-55-6	Propane-1,2-diol, particulates	-	10	TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4	TWA (8 h)	WEL
13463-67-7	Titanium dioxide, total inhalable	-	10	TWA (8 h)	WEL

# **DNEL/DMEL values**

CAS No Substance				
DNEL type		Exposure route	Effect	Value
13463-67-7	titanium dioxide			
Worker DNEL, long-to	erm	inhalation	local	0.17 mg/m³
Consumer DNEL, Ion	ig-term	inhalation	local	0.028 mg/m³
1333-86-4	carbon black			
Worker DNEL, long-to	erm	inhalation	systemic	1 mg/m³
Consumer DNEL, Ion	ig-term	inhalation	systemic	0.06 mg/m³
57-55-6	Propane-1,2-diol			
Worker DNEL, long-to	erm	inhalation	systemic	168 mg/m³
Worker DNEL, long-to	erm	inhalation	local	10 mg/m³
Consumer DNEL, Ion	g-term	inhalation	systemic	50 mg/m³
Consumer DNEL, Ion	g-term	inhalation	local	10 mg/m³
102-71-6	triethanolamine			
Worker DNEL, long-to	erm	inhalation	local	1 mg/m³
Worker DNEL, long-to	erm	dermal	systemic	7.5 mg/kg bw/day
Worker DNEL, long-to	erm	dermal	local	0.14 mg/cm <sup>2</sup>
Consumer DNEL, lon	ig-term	inhalation	local	0.4 mg/m³
Consumer DNEL, Ion	ig-term	dermal	systemic	2.66 mg/kg bw/day
Consumer DNEL, Ion	ig-term	dermal	local	0.07 mg/cm <sup>2</sup>
Consumer DNEL, Ion	ig-term	oral	systemic	3.3 mg/kg bw/day
2634-33-5 1,2-benzisothiazol-3		2H)-one		
Worker DNEL, long-term		inhalation	systemic	6.81 mg/m³
Worker DNEL, long-term		dermal	systemic	0.966 mg/kg bw/day
Consumer DNEL, Ion	g-term	inhalation	systemic	1.2 mg/m³
Consumer DNEL, long-term		dermal	systemic	0.345 mg/kg bw/day

# **PNEC** values

CAS No	Substance			
Environmental compartment		Value		
1333-86-4 carbon black				
Freshwater	50 mg/l			



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

Jaie. 19.11.202	.0	Revisio
57-55-6	Propane-1,2-diol	
Freshwater		260 mg/l
Freshwater (inte	rmittent releases)	183 mg/l
Marine water		26 mg/l
Freshwater sedi	ment	572 mg/kg
Marine sediment	t	57.2 mg/kg
Micro-organisms	s in sewage treatment plants (STP)	20000 mg/l
Soil		50 mg/kg
102-71-6	triethanolamine	·
Freshwater		0.32 mg/l
Freshwater (inte	rmittent releases)	5.12 mg/l
Marine water		0.032 mg/l
Freshwater sedi	ment	1.7 mg/kg
Marine sediment	t	0.17 mg/kg
Micro-organisms	s in sewage treatment plants (STP)	10 mg/l
Soil		0.151 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one	
Freshwater		4.03 μg/l
Freshwater (inte	rmittent releases)	1.1 μg /l
Marine water		0.4 μg /l
Marine water (intermittent releases)		0.11 μg /l
Freshwater sedi	ment	49.9 μg /kg
Marine sediment	t	4.99 μg /kg
Micro-organisms	s in sewage treatment plants (STP)	1.03 mg/l
Soil		3 mg/kg
		•

# 8.2. Exposure controls





# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

# Individual protection measures, such as personal protective equipment

# Eye/face protection

Tightly sealed safety glasses.

# **Hand protection**



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

Wear protective gloves. Suitable material: NR (natural rubber, Natural latex), CR (polychloroprene, chloroprene rubber), NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber), FKM (fluoro rubber), PVC (polyvinyl chloride) Breakthrough times and swelling properties of the material must be taken into consideration.

#### Skin protection

Apron, lab coat, boots

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: various

Odour: characteristic

Melting point/freezing point: not determined

Boiling point or initial boiling point and boiling range: >100 °C

Flammability: not determined
Lower explosion limits: not determined
Upper explosion limits: not determined
Flash point: not applicable
Auto-ignition temperature: not determined
Decomposition temperature: not determined

pH-Value(at 20 °C): 6-8

Water solubility(at 20 °C): miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Density (at 20 °C): ~ 1 g/cm<sup>3</sup>

Relative vapour density: not determined

# 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not explosive.

Oxidizing properties

The product is not oxidising.

### Other safety characteristics

Solid content: not determined



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

Evaporation rate: not determined

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is stable at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

No information available.

# 10.5. Incompatible materials

Oxidizing agents, Reducing agents

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
13463-67-7	titanium dioxide					
	oral	LD50 >2000mg/kg	Ratte	IUCLID		
102-71-6	triethanolamine					
	oral	LD50 6400mg/kg	Rat	IUCLID	OECD 401	
	dermal	LD50 >2000mg/kg	Rabbit	IUCLID	OECD 402	
2634-33-5	1,2-benzisothiazol-3(2H)-o	ne				
	oral	LD50 490-670mg/kg	Rat	IUCLID	OECD 401	
	dermal	LD50 >2000mg/kg	Rat	IUCLID	OECD 402	
55965-84-9	reaction mass of 5-chloro-	2-methyl-2H-isothiazol-3-one	and 2-methyl-2h	l-isothiazol-3-one (	3:1)	
	oral	ATE 100mg/kg				
	dermal	ATE 50mg/kg				
	inhalation vapour	ATE 0.5mg/l				
	inhalation dust/mist	ATE 0.05mg/l				
2682-20-4	2-methylisothiazol-3(2H)-o	ne				
	oral	LD50 120-327.7 mg/kg	Rat	IUCLID		



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

	dermal	LD50 242-2000 mg /kg	Rat	IUCLID	
	inhalation vapour	ATE 0.5mg/l			
	inhalation dust/mist	ATE 0.05mg/l			

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Contains triethanolamine; 1,2-benzisothiazol-3(2H)-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1); 2-methylisothiazol-3(2H)-one. May produce an allergic reaction.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

# **Endocrine disrupting propertie**

No information available.

#### **Further information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
13463-67-7	7-7 titanium dioxide					
	Acute fish toxicity LC50 >1000 mg/l 96 h Pimephales promelas IUCLID					
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna	IUCLID	OECD 202
	Acute bacteria toxicity	(EC50 >1000 mg/l)		Activated sludge	IUCLID	OECD 209
102-71-6	triethanolamine					
	Acute fish toxicity	LC50 11800 mg/l	96 h	Pimephales promelas	literature value	
	Acute algae toxicity	ErC50 216 mg/l	72 h	Desmodesmus	Supplier	
				subspicatus		



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

	74.6. 10:11.2020								
		Acute crustacea toxicity	EC50 609.88mg/l	48 h	Ceriodaphnia dubia	IUCLID	ASTM Designation		
							E1192		
	2634-33-5	1,2-benzisothiazol-3(2H)	-one						
		Acute fish toxicity	LC50 2.15-22 mg/l	96 h	Cyprinodon	IUCLID	EPA 540/9-85-006		
					variegatus				

# 12. 2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method Value d Source				
	Evaluation				
102-71-6	triethanolamine				
	OECD 301E >60% 28 IUCLID				
	Readily biodegradable (according to OECD criteria).				

### 12. 3. Bioaccumulative potential

No indication of bioaccumulation potential.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
102-71-6	triethanolamine	-1
2634-33-5	1,2-benzisothiazol-3(2H)-one	0.7
2682-20-4	2-methylisothiazol-3(2H)-one	0.119

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
102-71-6	triethanolamine	<3.9	Cyprinus carpio	Supplier
2634-33-5	1,2-benzisothiazol-3(2H)-one	6.62	Lepomis macrochirus	IUCLID

# 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

# **Further information**

Avoid release to the environment.



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

I and	trans	nort i	(ADR	/RID
Lanu	เเฉเเจ	וטונו	ハカレハ	יטוחי

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

# Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

# 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

Restrictions on use (REACH, annex XVII):

Entry 75: not applicable

Information according to 2012/18/EU(SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

Revised due to Regulation (EU) No 2020/878

#### Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimat

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord

européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods



according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

EmS: Emergency Schedules
MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

## Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains triethanolamine; 1,2-benzisothiazol-3(2H)-one; reaction mass of 5-chloro-2-methyl-
	2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1); 2-methylisothiazol-3(2H)-one.
	May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mis

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

## Identified uses



# according to UK REACH Regulation

Date: 19.11.2020 Revision date: 19.07.2023

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Inks and toners	С	-	18	-	-	-	-	Ink

LCS: Life cycle stages SU: Sectors of use

PC: Product categories PROC: Process categories

ERC: Environmental release categories AC: Article categories

TF: Technical functions

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)