Printing date 03.07.2019

Version number 2

Revision: 01.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: <u>All-purpose ink(metallic)</u>
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:
- No further relevant information available.

· Application of the substance / the preparation: Colour ink

· 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: TSUKINEKO CO., LTD.
 5F SUEHIRO JF BLDG., 5-1-5, SOTOKANDA, CHIYODA-KU, TOKYO 101-0021 JAPAN Phone number: +<81> 3-3834-1080 (Japan)
 FAX number: +<81> 3-3834-1050 (Japan)

· Further information obtainable from: Sales department

• 1.4 Emergency telephone number: Phone number: +<81> 3-3834-1080 (Japan)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- Contains triethanolamine. May produce an allergic reaction.
- 11 % of the mixture consists of component(s) of unknown toxicity.
- Contains 29 % of components with unknown hazards to the aquatic environment.
- Safety data sheet available on request.
- · 2.3 Other hazards
- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous c	omponents:
---------------	------------

Dangerous components:		
CAS: 57-55-6	Propylene glycol	10-20%
EINECS: 200-338-0	♦ Acute Tox. 4, H302	
CAS: 102-71-6	triethanolamine	0-0.6%
EINECS: 203-049-8	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 18282-10-5	tin dioxide	0-0.1%
EINECS: 242-159-0	substance with a Community workplace exposure limit	
CAS: 7664-38-2	phosphoric acid	<0.2%
EINECS: 231-633-2	😔 Skin Corr. 1B, H314	
Index number: 015-011-00-6		
Additional information: For the wording of the listed hazard phrases refer to section 16.		

(Contd. on page 2)

Printing date 03.07.2019

Version number 2

Revision: 01.07.2019

Trade name: All-purpose ink(metallic)

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact:

Remove contaminated clothing and shoes.

- Wash off with soap and plenty of water.
- If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eyes for several minutes under running water.

- Seek immediate medical advice.
- After swallowing:
- Rinse out mouth with water.
- If symptoms persist consult a doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture:

Metal or Metal oxide fumes Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide(CO2)

5.3 Advice for firefighters Shut off fuel at an early stage of fire.

In case of large-scale fire, foam extinguishing media is effective to shut off from air.

Remove containers to a safe place.

If feasible, evacuate nonessential personnel.

Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

EU

Printing date 03.07.2019

Version number 2

Revision: 01.07.2019

(Contd. of page 2)

Trade name: All-purpose ink(metallic)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Store away from oxidizing agents.

• Further information about storage conditions: Keep container tightly sealed.

•7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

18282-10-5 tin dioxide

IOELV Long-term value: 2 mg/m³

as Sn

7664-38-2 phosphoric acid

IOELV Short-term value: 2 mg/m³

Long-term value: 1 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

(Contd. on page 4)

Printing date 03.07.2019

Version number 2

Revision: 01.07.2019

(Contd. of page 3)

Trade name: All-purpose ink(metallic)

· Body protection:

Apron Boots

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical properties • General Information				
· Appearance:				
Form:	Liquid			
Colour:	Coloured			
· Odour:	Slightly smell			
• Change in condition Initial boiling point and boiling range: Not determined				
· Flash point:	Not determined.			
· Explosive properties:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapour pressure:	Not determined.			
· Density:	Not determined.			
· Relative density	Not determined.			
· Vapour density	Not determined.			
 Evaporation rate 	Not determined.			
· Solubility in / Miscibility with				
water:	Soluble			
• 9.2 Other information	No further relevant information available.			

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions: Reacts with strong oxidising agents.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: Strong oxidizing agents.
- · 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx) Carbon oxides (COx)

Carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

57-55-6 Propylene glycol

Oral LD50 2000 mg/kg (rat)

Dermal LD50 20800 mg/kg (rabbit)

(Contd. on page 5)

Printing date 03.07.2019

Version number 2

Revision: 01.07.2019

(Contd. of page 4)

Trade name: All-purpose ink(metallic)

102-71-6 triethanolamine

Oral LD50 8000 mg/kg (rat)

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

 \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

 \cdot STOT-single exposure Based on available data, the classification criteria are not met.

 \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous to water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

[•] Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
[.] 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	

Printing date 03.07.2019

Version number 2

Revision: 01.07.2019

Trade name: All-purpose ink(metallic)

		(Contd. of page 5)
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to An	nex II of	
Marpol and the IBC Code	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

· Department issuing SDS: Sales department

- Contact: Phone number: +<81> 3-3834-1080 (Japan)
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Skin Corr. 1B: Skin corrosion/irritation Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3