Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: StazOn pigment
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the preparation: Colour ink
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

TSUKINEKO CO., LTD.

5F SUEHIRO JF BLDG., 5-1-5, SOTOKANDA, CHIYODA-KU, TOKYO 101-0021 JAPAN

Phone number: +<81> 3-3834-1080 (Japan) FAX number: +<81> 3-3834-1050 (Japan)

- · Further information obtainable from: Sales department
- 1.4 Emergency telephone number: Phone number: +<81> 3-3834-1080 (Japan)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS09

- · Signal word Void
- · Hazard statements

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

38.4 % of the mixture consists of component(s) of unknown toxicity.

Contains 82.7 % of components with unknown hazards to the aquatic environment.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

Trade name: StazOn pigment

| Dangerous components: | | |
|-----------------------------|---|--------|
| CAS: 2517-43-3 | 3-methoxybutan-1-ol | 0-55% |
| EINECS: 219-741-8 | 🕸 Flam. Liq. 3, H226 | |
| CAS: 63148-65-2 | Vinyl acetal polymers, butyrals | <10% |
| | ♦ Eye Irrit. 2, H319 | 1 |
| CAS: 1333-86-4 | Carbon black | <10% |
| EINECS: 215-609-9 | ♦ Self-heat. 1, H251 | 1 |
| CAS: 81-77-6 | 6,15-dihydroanthrazine-5,9,14,18-tetrone | <10% |
| EINECS: 201-375-5 | ♠ Acute Tox. 4, H302 | 1 |
| CAS: 122-99-6 | 2-Phenoxyethanol | <4% |
| EINECS: 204-589-7 | ① Acute Tox. 4, H302; Eye Irrit. 2, H319 | 1 |
| Index number: 603-098-00-9 | | |
| CAS: 100-51-6 | benzyl alcohol | <4% |
| EINECS: 202-859-9 | ◆ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 | |
| Index number: 603-057-00-5 | | |
| CAS: 140-66-9 | 4-tert-octylphenol | < 0.3% |
| EINECS: 205-426-2 | Eye Dam. 1, H318; 🍫 Aquatic Acute 1, H400; Aquatic Chronic 1, | |
| Index number: 604-075-00-6 | H410; 🕎 Skin Irrit. 2, H315 | |
| ·SVHC | | |
| 140-66-9 4-tert-octylphenol | | |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Remove contaminated clothing and shoes.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eyes for several minutes under running water.

If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth with water.

If symptoms persist consult a doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide, dry chemical powder, alcohol resistant foam, dry sand, water spray

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture:

Nitrogen oxides (NOx)

Metal or Metal oxide fumes

Carbon monoxide (CO)

(Contd. on page 3)

Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

Trade name: StazOn pigment

(Contd. of page 2)

· 5.3 Advice for firefighters

Use dry chemical powder, carbon dioxide, dry sand for early stage of fire.

Apply water from a safe distance to cool and protect surrounding area.

Remove containers to a safe place.

Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Wear proper protective equipment to avoid contact and inhalation.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:

Keep away from incompatible materials. (Refer to SECTION 10)

- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)

Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

Trade name: StazOn pigment

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be

- · Eye protection: Goggles recommended during refilling.
- · Body protection:

Apron

Boots

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid Colour: Coloured

Odour: Slight characteristic odour

· Change in condition

Initial boiling point and boiling range: Undetermined.

· Flash point: · Explosive properties: Product does not present an explosion hazard.

· Vapour pressure: Not determined. · Density: · Relative density Not determined. Not determined. · Vapour density

Not determined. · Evaporation rate

· Solubility in / Miscibility with

Soluble water:

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Not determined.

- · 10.3 Possibility of hazardous reactions: May react with incompatible materials.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials:

Oxidising agent

Aluminum powder

· 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx)

Metal oxides

(Contd. on page 5)

Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

Trade name: StazOn pigment

Carbon oxides (COx)

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| 13 | Treate toxicity Bused on available data, the classification effects are not met. | | | | |
|-----|--|------|----------------------|--|--|
| · I | · LD/LC50 values relevant for classification: | | | | |
| 2 | 2517-43-3 3-methoxybutan-1-ol | | | | |
| C |)ral | LD50 | 3,000 mg/kg (mouse) | | |
| 1 | 100-51-6 benzyl alcohol | | | | |
| C |)ral | LD50 | 1,230 mg/kg (rat) | | |
| D | Dermal | LD50 | 2,000 mg/kg (rabbit) | | |
| 1 | 122-99-6 2-Phenoxyethanol | | | | |
| C |)ral | LD50 | 1,260 mg/kg (rat) | | |
| D | Dermal | LD50 | 5,000 mg/kg (rabbit) | | |
| 1 | 140-66-9 4-tert-octylphenol | | | | |
| C |)ral | LD50 | 3,210 mg/kg (mouse) | | |
| 8 | 81-77-6 6,15-dihydroanthrazine-5,9,14,18-tetrone | | | | |
| C |)ral | LD50 | 2,000 mg/kg (rat) | | |
| 1. | 1333-86-4 Carbon black | | | | |
| C |)ral | LD50 | 10,000 mg/kg (rat) | | |
| | D ' ' ' ' ' CC ' | | | | |

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous to water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

Trade name: StazOn pigment

(Contd. of page 5)

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number | 1012002 |
|--|--|
| ADR, IMDG, IATA | UN3082 |
| 14.2 UN proper shipping name | |
| ADR | 3082 ENVIRONMENTALLY HAZARDOUS |
| | SUBSTANCE, LIQUID, N.O.S. (4-tert-octylphenol) |
| IMDG | ENVIRONMENTALLY HAZARDOUS SUBSTANC |
| | LIQUID, N.O.S. (4-tert-octylphenol), MARINE |
| IATA | POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANC |
| IAIA | LIQUID, N.O.S. (4-tert-octylphenol) |
| 14.3 Transport hazard class(es) | · / / / / |
| ADR, IMDG, IATA | |
| 1 1 1 2 2 2 3 3 3 3 3 3 3 3 3 3 | |
| Class | 9 Miscellaneous dangerous substances and articles. |
| Label | 9 |
| 14.4 Packing group | |
| ADR, IMDG, IATA | III |
| 14.5 Environmental hazards: | |
| Marine pollutant: | Symbol (fish and tree) |
| Special marking (ADR): | Symbol (fish and tree) |
| Special marking (IATA): | Symbol (fish and tree) |
| 14.6 Special precautions for user | Warning: Miscellaneous dangerous substances and |
| | articles. |
| Danger code (Kemler): | 90 |
| EMS Number: | F-A,S-F |
| 14.7 Transport in bulk according to Anne | |
| Marpol and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Limited quantities (LQ) | 5L |
| Excepted quantities (EQ) | Code: E1 |
| | Maximum net quantity per inner packaging: 30 ml |
| Transport category | Maximum net quantity per outer packaging: 1000 ml |
| Tunnel restriction code | J |

Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

Trade name: StazOn pigment

(Contd. of page 6)

| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
|---|--|
| · UN "Model Regulation": | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (4-TERT- OCTYLPHENOL), 9, III |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

140-66-9 4-tert-octylphenol

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H251 Self-heating: may catch fire.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Sales department
- · Contact: Phone number: +<81> 3-3834-1080 (Japan)
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Self-heat. 1: Self-heating substances and mixtures - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

(Contd. on page 8)

Printing date 11.07.2019 Version number 2 Revision: 11.07.2019

Trade name: StazOn pigment

(Contd. of page 7)

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

DII.